



DOEHRS-HC

v3.2.13

Database Backup



Daily Database Backups Prevent Data Loss!

- DOEHRS-HC Allows Two Types of Backups:
 - ✓ Automatic
 - ✓ Manual
- DOEHRS-HC Backups are an Exact Copy of the Entire DOEHRS-HC Database

Automatic Backups

- Are Only Performed the First Time the Software is Exited for a Given Day
- Only Provide a Fail-Safe for Data Corruption not Hardware Failure
- Are Stored on the Local Hard Drive
- Only the Last 5 Automatic Backup Files are Stored


Manual Backups

- Are User Initiated
- Should be Performed at the End of Each Day the Software is Used for Hearing Tests or to Enter Data
- Should be Saved onto a High-Capacity Removable Disk or Network Server
- Provide a Fail-Safe from Hard Disk Failure or Data Corruption


To Complete a Manual Backup - Go to Data>Backup Database

The screenshot shows the main window of the "Defense Occupational Environmental Health Readiness System - Hearing Conservation". The menu bar includes File, Edit, View, Functions, Reporting, Data, and Help. A toolbar contains icons for various functions like printing and saving. The "Data" menu is open, showing options such as "DR Inquire", "Export to DR", "Import Data", "Export to Workstation", "Backup Database", "Compact/Repair Database", and "Restore Database". Below the menu, there's a "Run Test" button and a section titled "HL Data" with tabs for T, R, P, C, and 1. A frequency response graph is visible, with "Left Ear" frequencies (0.5k, 1k, 2k, 3k, 4k, 6k, 8k) in blue and "Right Ear" frequencies (.5k, 1k, 2k, 3k, 4k, 6k, 8k) in red. Below the graph are buttons for "Transfer All Stations", "Retrieve All Stations", "Print All Stations", and "Clear All Stations". The form area includes sections for "Reference Audiogram" (with IDN/SSN and Reason for Audiogram fields), "Demographic Data" (with fields for Last Name, First Name, MI, Gender, Date of Birth, DoD Comp, Service Comp, Rank/Grade, SDOC, UIC/WIC, Branch/Career Field, Major Command, Location/Place of Work, and Comm. Phone), "Remarks" (a large text area), and "Audiogram Type" (with fields for Hazardous noise exposed?, Type, Reason for Audiogram, ENT Problem?, NFHs, Steady Noise Exposure (TWA - dBA), Impulse Noise Exposure (dBP), HPD Issued, and Glasses/Goggles Worn). A "Close" button is at the bottom right.

Save As Window Appears



Select the Location to Save the Backup File - Once You Select a Drive, Will Default to that Drive Each Time, Unless a Different One is Selected



Click
Save

The Backup Process Begins

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help

Run Test

HL Data

IDN (SSN)		Left Ear						Right Ear							
		.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k
T	R	P	C	1											

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

Reference Audiogram

IDN (SSN) Reason for Audiogram : Date :

Demographic Data

Last Name : First Name : MI : Gender : Date of Birth :
DoD Comp : Service Comp : Rank/Grade : SDOC :
UIC/WIC : Branch/Career Field :
Major Command : Location/Place of Work : Comm. Phone :
Remarks :

Audiogram Type

Hazardous noise exposed? Yes : No :
Type :
Reason for Audiogram :
ENT Problem ? NFHs :
Steady Noise Exposure (TWA - dBA) :
Impulse Noise Exposure (dBp) :
HPD Issued :
Glasses/Goggles Worn :

Close

Compacting database.. 03/09/04 10:53 AM

The Backup is being Compressed and Copied

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help

Run Test

HL Data

IDN (SSN)	Left Ear							Right Ear						
	.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k
T R P C 1														

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

Reference Audiogram

IDN (SSN) Reason for Audiogram : Date :

Demographic Data

Last Name : First Name : MI : Gender : Date of Birth :
DoD Comp : Service Comp : Bank/Grade : SDDC :
UIC/WIC :
Major Command :

Audiogram Type

Hazardous noise exposed? Yes : No :
Type :
? NFHs :
Exposure (TWA - dBA) :
Exposure (dB) :
HPD Issued :
Glasses/Goggles Worn :

Remarks

Close

Compressing C:\DOEHRSHC\Backup\DOEHR... 54% Cancel

Successful Backup Message Appears - Location of Backup is Specified

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help

Run Test

HL Data

IDN (SSN)

.5k

1k

2k

3k

4k

6k

8k

Left Ear

.5k

1k

2k

3k

4k

6k

8k

Right Ear

T

R

P

C

1

Transfer All Stations

Retrieve All Stations

Print All Stations

Clear All Stations

Reference Audiogram

IDN (SSN)

Reason for Audiogram :

Date :

Demographic Data

Last Name :

First Name :

MI :

Gender :

Date of Birth :

DoD Comp :

Service Con :

UIC/WIC :

Major Command :

Remarks

Audiogram Type

Hazardous noise exposed?

Yes :

No :

NFHs :

WA - dBA :

P :

Issued :

Glasses/Goggles Worn :

Close

SUCCESSFUL BACKUP

Backup Successfully completed!

Your file has been backed up to: D:\DOEHRSHC_Backup_20040309_1055.ZIP


OK

10

User is Returned to the DOEHRS-HC Main Window

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help



Run Test X

HL Data

IDN (SSN)	Left Ear						Right Ear							
	.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k
T R P C 1														

Transfer All Stations **Retrieve All Stations** **Print All Stations** **Clear All Stations**

Reference Audiogram

IDN (SSN) Reason for Audiogram : Date :

Demographic Data

Last Name : First Name : MI : Gender : Date of Birth :

DoD Comp : Service Comp : Rank/Grade : SDOC :

UIC/WIC : Branch/Career Field :

Major Command : Location/Place of Work : Comm. Phone :

Remarks

Audiogram Type

Hazardous noise exposed? Yes : ☒ No : ☐

Type :

Reason for Audiogram :

ENT Problem ? NFHs :

Steady Noise Exposure (TWA - dBA) :

Impulse Noise Exposure (dBp) :


HPD Issued :

Glasses/Goggles Worn :

Close

Recommended Manual Backup F

- ❖ Maintain the 5 Latest Backup Files
- ❖ When More than 5, Delete the Earliest Backup File



To Delete a Backup - Select the File, Right Click the Mouse Button, Select Delete